

Notice of Allowability

Application No.

10/678,071

Examiner

Elizabeth Keane

Applicant(s)

HWANG ET AL.

Art Unit

2882

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendments and remarks filed 16 August 2005.
2. ☒ The allowed claim(s) is/are 1,3-13,15-17 and 19-25.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 8/16/05
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

DETAILED ACTION

The Amendment and Remarks filed 16 August 2004 has been entered.

Allowable Subject Matter

Claims 1,3-13,15-17 and 19-25 are allowed over the prior art of record.

The following is an examiner's statement of reasons for allowance:

- Re claims 1 and 3-12: The best prior art of record discloses many of the features of claim 1, including an electrode gun for a cathode ray tube comprising a first controlling and accelerating electrode. However, the prior art fails to teach or fairly suggest an electrode gun for a cathode ray tube wherein a ratio of vertical size to horizontal size of an electron beam passing hole on the first electrode ranges from 1.9-3.0, as claimed in claim 1. Claims 3-12 are allowable by virtue of their dependency.
- Re claims 13,15-17 and 19-25: The best prior art of record discloses many of the features of claim 13, including an electrode gun for a cathode ray tube comprising a first and second controlling and accelerating electrode, wherein the first electrode has a first horizontal and vertical size on the first side near the cathode and a second horizontal and vertical size on a second side opposite the first side and the second electrode having a third horizontal and vertical size. However, the prior art fails to teach or fairly suggest an electrode gun for a cathode ray tube wherein the ratio of

Art Unit: 2882

the first vertical size to the first horizontal size is greater than 1.5, a ratio of the second vertical size to the second horizontal size is greater than 1.5, and a ratio of the third vertical size to the third horizontal size is greater than 1.5, as claimed in claim 13. Claims 15-17 and 19-25 are allowable by virtue of their dependency.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Elizabeth Keaney whose telephone number is (571)272-2489. The examiner can normally be reached on Monday, Tuesday, Thursday, Friday 7:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ed Glick can be reached on (571)272-2490. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2882

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


emk


EDWARD J. GLICK
SUPERVISORY PATENT EXAMINER